



**Confidential  
Distributor  
Price List  
July 1, 2019**



**ArtiClean**  
 Ozone Laundry Systems  
 129 Fieldview Drive  
 Versailles, KY 40383  
 (866) 748-WASH

**July 1, 2019**

***Confidential Distributor Price List***

All Prices are in US Dollars  
 FOB: Versailles, KY

**VARIABLE FLOW OZONE LAUNDRY SYSTEM  
 SPECIFICALLY DESIGNED FOR COIN LAUNDRIES**

Model Number	Rated Capacity	Maximum Flow Rate	Suggested List Price
AW-120	120 lbs	Up to 16 GPM	18,550
AW-250	250 lbs	Up to 32 GPM	24,675
AW-500	500 lbs	Up to 55 GPM	29,794

**1.5 Inch Water Fill Kits - \$185 NET Each**

NOTE: Each Washer to be Hooked Up REQUIRES 1.5 Inch Water Fill Kit, Consisting of  
 1.5 Inch Water Valve, 1.5 Inch Union Ball Valve with Viton O-Rings,  
 24 Volt Transformer, and Electrical Switch.



***Systems include:***

- \*Complete Ozone Laundry System - Wall Mounted Unit***
- \*Water Inlet Brass Check Valve for Back Flow Protection***
- \*Industrial Grade Ozone Generator***
- \*Industrial Grade Oxygen Concentrator***
- \*Mazeii - Venturi Injector***
- \*Stainless Steel Liquid Filled Pressure Gauges***
- \*Stainless Steel Check Valves***
- \*Schedule 80 PVC Piping and Fittings***
- \*Clear Air Relief Valve***
- \*Clear Liquid Drainer***
- \*Viton Seals***
- \*Union Ball Valves***
- \*ORP Controller and Probe (self-diagnostic)***
- \*Stainless Steel Ozone Destruct System***

***Not Included in System:***

- \*\*Plumbing to washers from Ozone Laundry System***
- \*\*Plumbing to Ozone Laundry System***
- \*\*Pressure Reducing Valve***



**ArtiClean**  
 Ozone Laundry Systems  
 129 Fieldview Drive  
 Versailles, KY 40383  
 (866) 748-WASH

July 1, 2019

Confidential **Industrial Tank-Style System**  
 Distributor Price List

Model Number	Rated Capacity	Water Inlet	Suggested List Price
208/60/1 Single Phase			
AT1000	1000-1200	2 Inch	CONSULT FACTORY
AT1500	1500-1800	2-3 inch	CONSULT FACTORY
AT2000	2000-2500	3 Inch	CONSULT FACTORY
AT-2500	2500-3000	3 Inch	N/A
AT3000	3000-3500	3 Inch	N/A

Suggested List Price	Ozone Generators	Number of SS Tanks Per System
208/60/3 Three Phase		
55,650	60 Gram (1)	1
63,000	100 Gram	1
89,600	60 Gram (2)	2
98,122	100 Gram (2)	2
121,800	60 Gram (3)	3

All prices are in U.S. Dollars

Systems include:

- \*Complete Ozone laundry system - Rack Mounted
- \*Backflow Preventor/Check Valve
- \*Industrial Grade Ozone Generator(s)
- \*Industrial Grade Oxygen Concentrator(s)
- \*Mazeii - Venturi Injector(s)
- \*Stainless Steel Industrial Grade Vertical Pump
- \*Stainless Steel Liquid Filled Pressure Gauges
- \*Stainless Steel Check Valves
- \*Schedule 80 PVC Piping and Fittings
- \*Clear Air Relief Valve
- \*Clear Liquid Drainer
- \*Viton Seals
- \*Union Ball Valves
- \*ORP Controller and Probe (self-diagnostic)
- \*Stainless Steel Ozone Destruct System

Not Included in System:

- \*\*Plumbing from Tank to Rack Mounted System
- \*\*Plumbing to washers from Ozone Laundry System
- \*\*Washer Fill Valves, Transformers, and Switches
- \*\*Plumbing to Ozone Laundry System
- \*\*Pressure Reducing Valve



1 1/2 inch Water Fill Valves + Transformers+ Union Ball Valve = \$185 Net per Washer

2 inch Water Fill Valves + Transformers+ Union Ball Valve = \$225 Net per Washer



**ArtiClean**  
**Ozone Laundry Systems**  
 129 Fieldview Drive  
 Versailles, KY 40383  
 (866) 748-WASH

**July 1, 2019**

*Confidential Distributor Price List*

All Prices are in US Dollars  
 FOB: Versailles, KY

**INDUSTRIAL GRADE OZONE LAUNDRY SYSTEM  
 SPECIFICALLY DESIGNED FOR COIN LAUNDRIES**

Model Number	Water Inlet Capacity	Maximum Flow Rate	Suggested List Price
AWCT-40	1.5 Inch	81 GPM*	27,500
AWCT-80	2 Inch	127 GPM*	32,500

*\* figured at 12 f/s flow velocity*

	Tank Capacity	Tank Construction	Maximum Tank Pressure
AWCT-40	40 Gallon	304 Stainless Steel	125 PSI
AWCT-80	80 Gallon	304 Stainless Steel	125 PSI

	Voltage
AWCT-40	220/60/1 20 Amp*
AWCT-80	220/60/1 20 Amp*

*\* Electrical must have neutral for 120 volt controls*



*Systems include:*

- \*Complete Industrial Style Ozone laundry system - wall mounted unit with*
- \*Stainless Steel Holding Tank and Circulation Pump*
- \*Industrial Grade Ozone Generator*
- \*Industrial Grade Oxygen Concentrator*
- \*Mazeii - Venturi Injector*
- \*Stainless Steel Liquid Filled Pressure Gauges*
- \*Stainless Steel Check Valves*
- \*Schedule 80 PVC Piping and Fittings*
- \*Air Relief Valve*
- \*Liquid Drainer*
- \*Viton Seals*
- \*Union Ball Valves*
- \*ORP Controller and Probe (self-diagnostic)*
- \*Stainless Steel Ozone Destruct System*
- \*Water Inlet Heavy Brass Check Valve for Back Flow Protection*
- \*\*Pressure Reducing Valve*

*Not Included in System:*

- \*\*Plumbing to washers from Ozone Laundry System*
- \*\*Plumbing to Ozone Laundry System*
- \*\*Plumbing Assembly from Tank to Pump and return to the Tank*



**ArtiClean**  
 Ozone Laundry Systems  
 129 Fieldview Drive  
 Versailles, KY 40383  
 (866) 748-WASH

July 1, 2019

Confidential  
 Distributor Price List

Model Number	Number of Washers	Flow Rate Per Washer	Grams of O3 Per Washer	Venturi Size	Distributor List Price	# of Venturi Piping Assemblies	Ozone Room Monitor	Venturi Board Size
<b>Pro Series</b>								
PRO1-5	1	Up to 10 GPM	.5Gr/Gal	684	\$12,500	1	SEE MONITOR PAGE	3/4 Inch
PRO2-10	2	Up to 10 GPM	.5Gr/Gal	684	\$16,730	2	SEE MONITOR PAGE	3/4 Inch
PRO3-15	3	Up to 10 GPM	.5Gr/Gal	684	\$18,575	3	SEE MONITOR PAGE	3/4 Inch
PRO4-20	4	Up to 10 GPM	.5Gr/Gal	684	\$20,475	4	SEE MONITOR PAGE	3/4 Inch

## FIRE GUARDIAN

PRO1-5	1	Up to 10 GPM	.5Gr/Gal	684	\$12,650	1	SEE MONITOR PAGE	3/4 Inch
PRO2-10	2	Up to 10 GPM	.5Gr/Gal	684	\$16,880	2	SEE MONITOR PAGE	3/4 Inch
PRO3-15	3	Up to 10 GPM	.5Gr/Gal	684	\$18,725	3	SEE MONITOR PAGE	3/4 Inch
PRO4-20	4	Up to 10 GPM	.5Gr/Gal	684	\$20,625	4	SEE MONITOR PAGE	3/4 Inch

Note: For Multiple Size Washers -Consult the Factory for Pricing

All prices are in U.S. Dollars

**\*3/4 Inch Fill Boards are Standard**  
**\*Up Charge Per Board for 1 Inch Venturi Fill Board - \$400 Net**  
**PRO Series Can Operate a 1 Inch Fill Board per Each Output**

Systems include:

- \*Complete Ozone laundry system - wall mounted unit
- \*Plasmatics Ozone Generator
- \*Industrial Grade Oxygen Concentrator
- \*Mazeii - Venturi Injector
- \*Stainless Steel Check Valves
- \*Schedule 80 PVC Piping and Fittings
- \*Union Ball Valves
- \*25 Feet Tygon Tubing & Hose Barbs
- \*Water Fill Valve
- \*External Water Check Valve




Not Included in System:

- \*\*Fill Hoses to Washer and Venturi Boards

**PRO Series Order form must accompany all orders before they can be scheduled for production**

Visual Verification of Ozone Dissolved in the Wash Wheel





**Ozone Laundry System  
with PLASMA BLOCK  
ECONOZONE**

**ArtiClean**  
Ozone Laundry Systems  
129 Fieldview Drive  
Versailles, KY 40383  
(866) 748-WASH

July 1, 2019

Confidential  
Distributor Price List

Model Number	Number of Washers	Flow Rate Per Washer	Grams of O3 Per Washer	Venturi Size	Distributor List Price	# of Venturi Piping Assemblies	Ozone Room Monitor	Venturi Board Size
--------------	-------------------	----------------------	------------------------	--------------	------------------------	--------------------------------	--------------------	--------------------

**60 lb Capacity**

ECO2-10	2*	Up to 10 GPM	.5Gr/Gal	684	\$14,665	2	SEE MONITOR PAGE	3/4 Inch
ECO3-10	3*	Up to 10 GPM	.5Gr/Gal	684	\$16,625	3	SEE MONITOR PAGE	3/4 Inch
ECO3-20	3*	Up to 10 GPM	.5Gr/Gal	684	\$18,065	3	SEE MONITOR PAGE	3/4 Inch
ECO4-20	4*	Up to 10 GPM	.5Gr/Gal	684	\$19,900	4	SEE MONITOR PAGE	3/4 Inch

**100 lb Capacity**

ECO2-20	2	Up to 16 GPM	.5Gr/Gal	1,078	\$17,955	2	SEE MONITOR PAGE	1 Inch
ECO3-30	3	Up to 16 GPM	.5Gr/Gal	1,078	\$21,525	3	SEE MONITOR PAGE	1 Inch

**165 lb Capacity**

ECO2-30	2	Up to 30 GPM	.5Gr/Gal	1,583	\$21,420	2	SEE MONITOR PAGE	1 1/4 Inch
---------	---	--------------	----------	-------	----------	---	------------------	------------

Note: For Multiple Size Washers -Consult the Factory

All prices are in U.S. Dollars

*\*3/4 Inch Fill Boards are Standard  
\*Up Charge Per Board for 1 Inch Venturi Fill Board - \$400 Net  
\*Up Charge Per Board for 1.5 Inch Venturi Fill Board - \$500 Net*

**Systems include:**

- \*Complete Ozone laundry system - wall mounted unit
- \*Plasmatics Ozone Generator
- \*Industrial Grade Oxygen Concentrator
- \*Mazeii - Venturi Injector
- \*Stainless Steel Check Valves
- \*Schedule 80 PVC Piping and Fittings
- \*Union Ball Valves
- \*25 Feet Tygon Tubing & Hose Barbs
- \* Water Fill Valve
- \*External Water Check Valve



**Not Included in System:**

- \*\*Fill Hoses to Washer and Venturi Boards

**Econozone Order form must accompany all orders before they can be scheduled for production**



**ArtiClean**  
 Ozone Laundry Systems  
 129 Fieldview Drive  
 Versailles, KY 40383

**Economical Venturi Injection Systems**  
**ECONOZONE LITE**

July 1, 2019  
 (866) 748-WASH

*Confidential*  
*Distributor Price List*     **Designed for Hotels and Light Soil**

Model Number	Generator Type	Air Feed	Venturi Size	Maximum Water Flow	List Price	# of Venturi Piping Assemblies	O3 Monitor Net Cost
EVLO-8S	Corona Discharge	PSA O2 Concentrator	584	6	\$7,345	1	\$795*
EVLO-16D	Corona Discharge	PSA O2 Concentrator	584	12	\$8,395	2	\$795*

VLO-10S	Corona Discharge	PSA O2 Concentrator	684	10	\$10,100	1	\$795*
VLO-20D	Corona Discharge	PSA O2 Concentrator	684	20	\$11,540	2	\$795*
VLO-30T	Corona Discharge	PSA O2 Concentrator	684	30	\$14,437	3	\$795*
VLO-20S	Corona Discharge	PSA O2 Concentrator	1078	16	\$11,050	1	\$795*

*For 3 Washer Systems, Please contact Factory*

**System Includes:**

- \*Complete Ozone laundry system - wall mounted unit
- \*Ozone Generator
- Oxygen Concentrator
- \*Venturi Injector
- \*Check Valves
- \*Teflon Tubing
- \*Wall Mounted Venturi Assemblies

\*ROOM MONITOR - Not manufactured by Aeroqual/ArtiClean



**Econozone Order form must accompany all orders before they can be scheduled for production**



**ArtiClean**  
Ozone Laundry Systems  
129 Fieldview Drive  
Versailles, KY 40383  
(866) 748-WASH

July 1, 2019

## INDUSTRIAL OZONE ROOM MONITOR

### *Confidential Distributor Price List*

All Prices are in US Dollars  
FOB: Versailles, KY

**NET PRICE \$1,250**

### *Systems Benefits:*

- \* Can be added to most existing ArtiClean Systems*
- \* Utilizes High End Replaceable Aeroqual Ozone Sensors*
- \* Ozone Ready Light Assures system is working*
- \* Alert if sensor failure*
- \* Three Detectable levels of Ozone*
- \* Shuts off Ozone production if High Levels are Detected*
- \* Resets when Ozone levels have returned to normal*
- \* Preassembled, just two wires to connect in Generator*
- \* 30 foot cable included to remote mount sensor head in workin area*
- \* Plugs directly into main power source on AW and AWC Series units*
- \* 115 volt service needed for Econozone and AT Systems*
- \* Self Diagnostic*
- \* Wall Mounted*







## ArtiClean

Ozone Laundry Systems  
 129 Fieldview Drive  
 Versailles, KY 40383  
 (866) 748-WASH



July 1, 2019

### *PH Eliminator*

Confidential  
 Distributor Price List

Model Number	Injection Pumps	Water Line Size	Suggested List Price
PH Eliminator - 1	1	2 Inch	6,595
PH Eliminator - 2	2	2 Inch	7,342

\*Note: PH Eliminator - 1 is Standard plumbed and wired for second injection pump

All prices are in U.S. Dollars

#### Systems include:

- \*Complete PH Reducing Chemical Injection System - wall mounted unit
- \*PH Controller and Probe (self-diagnostic)
- \*Schedule 80 PVC Piping and Fittings
- \*Integrated Flow Switch
- \*Digital Industrial Injection Pump
- \* Blue Board Mounted
- \*Pump Bypass for Ease of Pump Priming



**ArtiClean**  
 Ozone Laundry Systems  
 129 Fieldview Drive  
 Versailles, KY 40383  
 (866) 748-WASH



**July 1, 2019**

*Confidential Distributor Price List*

All Prices are in US Dollars

FOB: Versailles, KY

**VARIABLE FLOW OZONE LAUNDRY SYSTEM  
 SPECIFICALLY DESIGNED FOR COIN LAUNDRIES**

Model Number	Rated Capacity	Maximum Flow Rate	Suggested List Price
AWC-250	1.5 Inch	1.5 to 75+ GPM*	25,500

\* figured at 12 f/s  
 flow velocity

*Systems include:*

- \*Complete Ozone laundry system - wall mounted unit
- \*Water Inlet Heavy Brass Check Valve for Back Flow Protection
- \*Industrial Grade Ozone Generator
- \*Industrial Grade Oxygen Concentrator
- \*Mazeii - Venturi Injector
- \*Stainless Steel Liquid Filled Pressure Gauges
- \*Stainless Steel Check Valves
- \*Schedule 80 PVC Piping and Fittings
- \*Clear Air Relief Valve
- \*Clear Liquid Drainer
- \*Viton Seals
- \*Union Ball Valves
- \*ORP Controller and Probe (self-diagnostic)
- \*Stainless Steel Ozone Destruct System

*Not Included in System:*

- \*\*Plumbing to washers from Ozone Laundry System
- \*\*Plumbing to Ozone Laundry System
- \*\*Pressure Reducing Valve



## *Worldwide Warranty Certificate*

### WORLDWIDE WARRANTY FOR ARTICLEAN OZONE LAUNDRY SYSTEMS

ArtiClean Ozone Laundry Systems warrants to the original purchaser that all new ArtiClean Ozone laundry systems ("Equipment") and all new replacement parts ("Parts") are free from defects in material and workmanship under normal use and service. The normal use of Equipment and Parts is in commercial, industrial, on-premise, and coin-operated laundries. The terms of ArtiClean's obligation under this limited warranty shall be limited as follows:

- 1: Any Components, except those mentioned below, are covered for a period of 12 months from the date of installation of the Equipment, but no later than 18 months from the date of delivery of the Equipment, whichever comes first.
- 2: Wear items such as ORP Measuring Probes, Plumbing Assemblies, and Water Fill Valves, shall be covered for up to 90 days from the installation, but no later than 180 days from the date of the delivery of the Equipment, whichever comes first.
- 3: All replacement parts are covered for the remaining term of the limited warranty of the equipment to which the Parts are incorporated or one year from the date of sale of the Parts, whichever is greater, excluding wear item parts, Probes, and Fill Valves, which are covered under the 90 day warranty for wear items.
- 4: Excluded from this limited warranty are the following:
  - A: Tygon Tubing
  - B: Kynar Fittings
  - C: Pump Flange and Tank Gaskets

ArtiClean's obligations under this warranty are further limited to the repair or replacement of the Equipment or Parts, free of charge, FOB ArtiClean's designated facility. ArtiClean shall have the sole discretion to determine whether any Equipment and Parts presented to it under this warranty is defective and whether the same shall be replaced or repaired. All labor costs, transportation charges, duties and local taxes shall be borne by the purchaser.

This limited warranty shall be the limit of ArtiClean's liability for any breach of warranty. Parts, which fail within the warranty period, must be ordered from ArtiClean or its distributor and returned to ArtiClean either direct or via ArtiClean's distributor with an authorization tag provided by ArtiClean. Tag should be provided with serial number, installation date and date when the part failed. The parts must be returned within 60 days from date of failure unless other arrangement has been made with ArtiClean. No allowance shall be granted for any alterations made to the Equipment or Parts by the purchaser without ArtiClean's written consent. ArtiClean shall have the discretion to require that the purchaser return to ArtiClean any defective Equipment and Parts, or portion thereof. However, no Equipment or Parts shall be returned to ArtiClean for repair or replacement without ArtiClean's prior authorization. The determination by ArtiClean not to require the return to it of defective Equipment or Parts shall not be deemed to constitute a waiver of other terms of this limited warranty or of its right to enforce all of the terms of this limited warranty thereafter.

ArtiClean does not warrant that the Equipment or Parts shall meet the requirement of any safety code of any state, municipality or jurisdiction other than the safety agency approvals as stated on the machine or verified by ArtiClean. Purchaser assumes all risk and liability whatsoever resulting from the use of the Equipment and Parts, whether used individually or in combination with other machines or apparatus.

This limited warranty shall not apply to persons or parties other than the original purchaser of the Equipment and Parts. This warranty shall not apply to any Equipment or Parts, which have been altered without ArtiClean's written consent, or altered in any way so as in the judgment of ArtiClean to affect adversely the operation and reliability of the Equipment or Parts. This limited warranty shall not apply to Equipment or Parts in which parts from a manufacturer other than ArtiClean have been incorporated or equipment or parts which have not been purchased from ArtiClean. Further, this warranty shall not apply to Equipment or Parts that have been subjected to misuse, negligence, have not been installed, maintained and operated in accordance with ArtiClean's or the manufacturers printed instructions, have not been utilized for their normal use or have been operated under conditions more severe than, or otherwise exceeding, those set forth in the specifications for the Equipment and Parts.

This warranty shall not apply to any product on which the serial number have been altered, effaced, or removed.

**THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR USE AND ALL OTHER OBLIGATIONS OR LIABILITIES ON ARTICLEAN'S PART. ARTICLEAN NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR ARTICLEAN ANY OTHER LIABILITY IN CONNECTION WITH THE SALE OF THE EQUIPMENT AND PARTS. THIS LIMITED WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES AND PURCHASER HEREBY WAIVES ALL OTHER REMEDIES, WARRANTIES, GUARANTEES OR LIABILITIES, EXPRESS OR IMPLIED, ARISING BY LAW OR OTHERWISE INCLUDING WITHOUT LIMITATIONS ANY OBLIGATIONS OF ARTICLEAN WITH RESPECT TO FITNESS, MERCHANTABILITY, INCIDENTAL DAMAGES AND CONSEQUENTIAL DAMAGES OR WHETHER OR NOT OCCASIONED BY ARTICLEAN'S NEGLIGENCE. THIS WARRANTY SHALL NOT BE EXTENDED, ALTERED OR VARIED EXCEPT UPON THE PRIOR WRITTEN INSTRUMENT SIGNED BY ARTICLEAN.**

ArtiClean reserves the right to make changes in design or to make additions to or improvements upon this product without incurring any obligations to install the same on products previously manufactured.

The selling distributor must register this product with ArtiClean so the original purchaser will receive the benefits of this warranty.

DISTRIBUTOR: \_\_\_\_\_  
OWNER NAME: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_  
PURCHASE DATE: \_\_\_\_\_  
DATE INSTALLED: \_\_\_\_\_  
MODEL NUMBER: \_\_\_\_\_  
SERIAL NUMBER: \_\_\_\_\_

For any warranty service, purchaser shall contact the distributor from which the Equipment or Parts was originally purchased or nearest ArtiClean distributor. In the event that purchaser is unable to make contact with a ArtiClean distributor, purchaser shall contact ArtiClean directly as follows:

**ArtiClean Ozone Laundry Systems.**

Attn: Customer Service department  
P.O. Box 455  
129 Fieldview Drive  
Versailles, KY 40383  
Phone: 859-873-1341  
Fax 859-873-9196



## Terms and Conditions

All Orders for EconOzone Series, Pro Series, and Fire Guardian Series, will NOT be entered into the Production Schedule until the appropriate Site Washer Checklist has been filled out properly and returned to ArtiClean.

Payment Terms for New Distributors:  
50% down with Order, Net Due upon Receipt

Payment Terms for Existing Established Distributors:  
2% Net 10 Days. or Net Due 30 Days  
Indicate on your Purchase Order which terms you prefer

Factory Start-Up Charges or Site Visits:  
Will be billed to Distributor at the rate of \$750 per day plus all expenses.  
Contact ArtiClean for a detailed cost breakdown.



## EconOzone, Pro Series & Fire Guardian Order Form

Date \_\_\_\_\_

Name of Facility & Address: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Number of Washers: \_\_\_\_\_

Make, Model & Voltage: (For each output)

A: \_\_\_\_\_

B: \_\_\_\_\_

C: \_\_\_\_\_

D: \_\_\_\_\_

Voltage of water fill valve coils: \_\_\_\_\_

Does installation need an ozone room monitor? \_\_\_\_\_

(Check price list for added cost)

Is distance from ozone generator to mixing manifold more than 10'? \_\_\_\_\_

Purchase Order Number: \_\_\_\_\_

Distributor Name: \_\_\_\_\_

Sign Name: \_\_\_\_\_ Print Name: \_\_\_\_\_

Please email to [Jeannie@articlean.com](mailto:Jeannie@articlean.com) or fax to 859-873-9196

**ArtiClean will not guarantee you get the correct system unless this form is complete and remitted with Purchase Order**